Management

Impact of occupational stress on health and work outcomes of IT professionals in Coimbatore

Nahid Akter

Assistant Professor, Department of Business Administration, Kongu Arts and Science College (Autonomous), Erode, Tamil Nadu, India

Correspondence Author: Nahid Akter

Received 21 Feb 2026; Accepted 28 Mar 2026; Published 7 Apr 2026

Published in Volume 1, Issue 1 (2026), pp. 08-12

Abstract

Stress is an omnipresent element in modern societies, particularly affecting individuals in the Information Technology (IT) sector. The demanding nature of IT work, characterized by tight deadlines, heavy workloads, and the requirement for night shifts, significantly contributes to increased stress levels among employees. This elevated stress can lead to detrimental effects on both mental and physical health. The present study is designed to investigate the demographic characteristics of IT professionals, evaluate their job-related stress levels, and assess their quality of life, while also identifying common health issues arising in this field. It emphasizes the importance of early detection of stress-related health challenges through comprehensive assessment scores. Furthermore, the study advocates for lifestyle changes, dietary advice, and psychological counseling as effective strategies to alleviate health risks. Such measures can potentially enhance productivity and improve the overall well-being of the workforce in the IT industry.

Keywords: Job stress, Information technology, Business process outsourcing, Health, Workforce

Introduction

Stress

Definition and nature of stress

Stress represents the body's adaptive response to changes that necessitate adjustment, encompassing physical, mental, or emotional reactions. It is an inherent aspect of life, triggered by both adverse circumstances and positive events, such as promotions or major life changes like home buying or welcoming a new child. This response is vital for adapting to new situations, illustrating that stress is not solely negative but a natural part of human experience.

In contemporary society, workplace stress has gained attention as a prevalent issue. The term “stress” originates from the Latin word "stringere," meaning "to draw tight," commonly linked to feelings of hardship or pressure. Hans Selye articulated stress as "the non-specific response of the body to any demand for change," highlighting its complex nature, while Kellie Marksberry emphasized that its subjective quality makes it challenging to define uniformly. Overall, stress serves a critical role in personal adaptation while also presenting significant challenges in modern life, particularly in occupational settings.

Occupational stress

Occupational stress is a form of stress experienced in the workplace, characterized by mental, physical, or emotional strain. This type of stress arises when there is a disconnect between the job demands and an individual's capacity to fulfill those demands. Various stressors present in the work environment can instigate physiological changes, ultimately leading to both mental and physical strain. Addressing occupational stress requires recognizing these stressors and implementing strategies to mitigate their effects on employees' well-being and productivity.

Major sources of stress in the IT industry

Workplace stress is influenced by individual perceptions, making it subjective and variable among different people. Nonetheless, there are prevalent factors that lead to occupational stress, particularly notable within the Information Technology (IT) sector. In this industry, employees frequently encounter significant pressure resulting from the demands and challenges inherent to their roles, which can exacerbate stress levels. Understanding these dynamics is crucial for effectively managing workplace stress and promoting employee well-being in high-pressure environments. Key stressors include:

a) **Long working hours:** Employees often work 11–12 hours per day, with overtime increasing this to 14 hours in some organizations. Job insecurity drives employees to overperform, contributing to fatigue.

b) **Technology pressure:** Rapid technological advancements require continuous skill updates, maintaining high workload and performance expectations.

c) **Job insecurity:** Market competition, economic fluctuations, and organizational restructuring increase the fear of job loss, leading to stress and unhealthy workplace behaviors.

d) **Discrimination:** Stress may arise from discrimination based on sex, race, religion, or nationality, with issues such as harassment being particularly prevalent in IT workplaces.
e) **Economic factors:** Organizational pressures to improve productivity and financial performance increase stress levels among employees.
f) **Harassment:** Personal financial pressures or workplace bullying further exacerbate stress.
g) **Personality traits:** Individual characteristics such as authoritarianism, rigidity, emotionality, anxiety, and need for achievement influence susceptibility to stress.
h) **Work overload:** Workforce reductions and task restructuring often result in excessive workloads for remaining employees.
i) **Role conflict:** Stress occurs when employees face conflicting demands between different roles (interrole conflict) or personal values clash with organizational goals (personal conflict).
j) **Role ambiguity:** Uncertainty about job responsibilities, expectations, and authority leads to stress, particularly in new roles or assignments.

Warning signs of stress

Chronic stress can compromise the body's natural defenses, producing various physical and psychological symptoms, including:

- Dizziness or disorientation
- General aches and pains
- Teeth grinding or jaw clenching
- Headaches
- Indigestion or acid reflux
- Changes in appetite
- Muscle tension in neck, face, or shoulders
- Sleep disturbances
- Racing heartbeat
- Cold or sweaty palms
- Fatigue and exhaustion
- Trembling or shaking
- Weight fluctuations
- Digestive issues
- Sexual difficulties

Impact of stress on health

Prolonged stress, while it can sometimes be beneficial by keeping individuals alert and motivated, often leads to detrimental outcomes when experienced without relief. Continuous exposure to stressors causes the accumulation of tension, resulting in both physical and psychological strain. The body's autonomic nervous system responds to stress by activating a series of physiological changes designed to help individuals manage challenging situations. However, when stress becomes chronic, it can overwhelm these adaptive mechanisms, negatively impacting overall health and well-being. Thus, while some stress is necessary for motivation and alertness, excessive and prolonged stress can lead to severe health issues.

Stress management techniques

Positive and negative coping methods

Stress management encompasses a range of coping strategies that can be classified as positive or negative. Positive coping strategies are essential for effectively reducing and managing stress. However, it is equally crucial to recognize negative coping mechanisms, as these often perpetuate a harmful cycle of stress. By understanding both types of strategies, individuals can develop a more comprehensive approach to managing stress effectively. Common negative coping behaviors include:

- **Impulsive behavior:** Acting without considering consequences, leading to repeated troubles.
- **Compulsive behavior:** Addictive tendencies such as overeating, alcoholism, smoking, gambling, or excessive shopping.
- **Obsessive behavior:** Repetitive, rigid, or overly meticulous behaviors; inflexibility and perfectionism.
- **Vindictive behavior:** Seeking revenge or harboring grudges, stubbornness, or manipulative tendencies.
- **Blaming behavior:** Assigning fault to others, being overly critical or fault-finding.
- **Worrying:** Persistent anxiety and overthinking problems without resolution.
- **Anger:** Expressing hostility through temper tantrums, sarcasm, or verbal outbursts.
- **Withdrawal:** Denial of problems, passivity, isolation, or avoidance of responsibilities.
- **Depression:** Feelings of sadness, guilt, despair, or lethargy.
- **Stress-induced illnesses:** Physical manifestations such as headaches, back pain, gastrointestinal problems, hypertension, diabetes, and other psychosomatic conditions.

Nutrition and stress management

Food as Medicine

Proper nutrition plays a critical role in stress management. Food provides the energy required for daily activities and helps the body respond to stress. Key considerations include:

- Emotional satisfaction and stress coping
- Energy recovery
- Cultural customs and social occasions
- Personal preferences
- Accessibility and cost

Components of Food

A balanced diet includes:

- **Carbohydrates:** Preferably complex carbohydrates for sustained energy (up to 80% of caloric intake).
- **Proteins:** Essential for tissue repair and cell regeneration.
- **Fats:** Both saturated and unsaturated for energy and cellular function.
- **Vitamins (A, B, C, D, E, K)** and **Minerals (Calcium, Phosphorus, Iron, Iodine)** for growth, metabolic regulation, and energy.
- **Fiber and Water:** For digestion and hydration.

Physical activity and stress relief

Simple workplace exercises

- **Facial tension:** Simulate yawning, exhale while releasing tension.
- **Leg exercises:** Curl, stretch, rotate ankles and knees, loosen hips.
- **Arm/Hand exercises:** Stretch fingers, rotate wrists and elbows, make fists.
- **Shoulder movements:** Raise, tense, drop, and rotate shoulders; cross arms over chest.
- **Neck and Head movements:** Chin to chest, rotate head side to side, ear-to-shoulder stretches.

Other stress-reduction activities

- **Massage Therapy:** Relieves acute/chronic pain and psychological tension.
- **Progressive Muscle Relaxation:** Tense and relax 16 muscle groups systematically.
- **Swimming:** Ideal for low-impact full-body exercise.
- **Cycling:** Builds stamina and leg strength.

General stress-reduction tips

- Maintain a positive outlook and accept uncontrollable events.
- Assert feelings constructively rather than react aggressively.
- Practice relaxation techniques such as meditation, yoga, or tai chi.
- Exercise regularly and maintain a healthy diet.
- Manage time effectively and set boundaries to avoid overcommitment.
- Engage in hobbies and social interactions.
- Ensure adequate rest and sleep.
- Avoid reliance on alcohol, drugs, or compulsive behaviors.
- Seek professional mental health support when necessary.

Methodology

Objectives

- To analyse the socio-economic characteristics of IT professionals.
- To assess the level of job stress among respondents.
- To evaluate job satisfaction levels.
- To identify health problems experienced by employees.

Research design

Primary data were collected through a structured survey questionnaire administered to a random sample of 317 IT professionals across various positions. The questionnaire covered:

- Nature of work and employment status
- Job satisfaction and workplace environment
- Stress-inducing factors
- Working hours and workload
- Health-related issues

The systematic analysis of the collected data provided insights into the intricate relationship among occupational stress, coping mechanisms, and health outcomes specifically targeted at IT professionals. The study aimed to elucidate how varying levels of stress experienced in the workplace correlate with the strategies employed by these professionals to cope, and how these elements ultimately impact their overall health. The findings emphasize the need for tailored interventions that address the unique challenges faced by individuals in the IT sector, thereby promoting better well-being and productivity.

Review of literature

A comprehensive literature review on occupational stress reveals significant findings regarding its causes, effects, and management strategies.

Michie (2002) categorizes workplace stressors into two types: job-intrinsic factors—such as long hours, work overload, and inadequate working conditions and those related to the social and organizational context.

Olatunji (2014) and McCaffrey and Blanchard (1985) note that in India, the IT sector's growth is closely tied to the well-being of employees, emphasizing that persistent moderate stress among software engineers can lead to long-term health risks and decreased productivity. The literature underscores that occupational stress is multidimensional, influenced by personal, organizational, and environmental factors. Early intervention, stress awareness, and coping strategies are deemed vital for maintaining workforce efficiency and individual well-being, suggesting a need for preventive training in stress management for IT professionals to navigate occupational demands effectively.

Theoretical aspects of the IT industry

The Indian IT industry has experienced significant growth driven by globalization and favorable government policies. IT professionals often encounter immense pressure to provide efficient and cost-effective services, leading to workplace stress, particularly when job demands surpass their control over task completion. Key stressors include technological advancements, strict deadlines, role ambiguity, and organizational expectations, impacting both employees and employers by decreasing productivity, harming mental health, and increasing absenteeism.

This study investigates the interplay between job stress and life stressors, focusing on psychological distress, well-being, and organizational role stress among IT professionals. It analyzes differences in occupational stress, job satisfaction, mental health, and coping strategies between junior and senior managers. By adopting a holistic perspective, the study evaluates how job demands, workplace environment, and coping resources collectively influence stress levels and mental health outcomes, aiming to provide valuable insights for enhancing employee well-being and organizational performance.

Analysis and interpretation

The demographic details

Table 4.1 (A): Number of male and female respondents

S. No.	Gender	No. of Respondents	Percentage
1.	Male	182	81.61
2.	Female	41	18.39
	Total	223	100




Fig 1

Table 4.2 (B): Age group of the respondents

S. No.	Age	No. of Respondents	Percentage
1.	21-25	45	20.19
2.	26-30	88	39.46
3.	31-35	42	18.83
4.	36-40	35	15.70
5.	41 & Above	13	5.82
	Total	223	100




Fig 2

Interpretation

The survey among IT professionals uncovered significant insights into their educational backgrounds, job levels, and workplace stress factors. A majority of the respondents, accounting for 64%, held undergraduate degrees, while 26% were postgraduates and the remaining 10% had diplomas. In terms of job hierarchy, a substantial portion (44%) identified as entry-level employees, 38% were in middle management, and 18% occupied senior roles.

Regarding the nature of employment, half of the respondents (50%) reported being in temporary positions, 40% were in permanent roles, and a small fraction were either unaware of their status or worked part-time. Job satisfaction levels revealed that 36% of participants were satisfied with their roles, 40% were neutral, and 24% expressed dissatisfaction. Stressors significantly impacting the professionals included environmental factors, with 60% of respondents highlighting increased workloads, lack of recognition, and perceived biased treatment from superiors as major contributors. Furthermore, interactions with superiors were also a source of stress; 40% reported frequent arguments, 36% indicated that disagreements were rare, and 24% stated they never disputed with their superiors.

Conclusion

The influence of information technology on daily life is continually expanding, leading to increased workplace stress commonly known as "technostress." IT professionals are particularly affected as they must adapt to rapid technological advancements and consistently update their skills. To address and mitigate this issue, implementing effective stress management strategies is essential. Techniques such as yoga, meditation, aerobic exercises, and other recreational activities have been shown to significantly reduce stress levels and associated health risks. By encouraging these practices within IT organizations, companies can enhance employee well-being, boost productivity, and cultivate a healthier and more resilient workforce.

References

1. Noblet AJ, Rodwell JJ. Integrating job stress. J Public Adm Res Theory. 2008;19(3):555-78.
2. Caplan RD, Jones KW. Effect of workload, role ambiguity and type of personality. J Appl Psychol. 1975;20(3):713-19.
3. Chandra Mohan A, Balaji KD, Kishore Kumar V. An empirical study on stress levels among software professionals in the city of Chennai, India. Abhinav Natl Mon Ref J Res Commer Manage, 2013, 2(5).
4. Ivanveich JM, Matteson MT, Preston P. Occupational stress. Appl Manag J. 1982;25(2):373-91.
5. Shanmugavadivu KV, Kalaimani G. An overview of stress management at work place. Online Int Interdiscip Res J, 2019, 9(Feb Special Issue 3).
6. Shanmugavadivu KV, Kalaimani G. An empirical study on occupational stress and managing techniques among software professionals in Chennai. Sci Technol Dev J, 2020, IX(Apr Special Issue IV).
7. Wikipedia. Occupational stress [Internet]. Available from: https://en.wikipedia.org/wiki/Occupational_stress
8. Dynamix Solutions. What is an IT professional and what does one do? [Internet]. Available from: https://dynamixsolutions.com/what-is-an-it-professional-and-what-does-one-do/
9. Harish Saras. Major causes of stress in the workplace [Internet]. Available from: https://www.harishsaras.com/stress-management/major-causes-of-stress-in-the-workplace/.